

SPECIFICATION OF RADIAL TAPING & BULK SERIES

APPLICATIONS

Oscillator coil , choke coil , and peaking coil




ORDERING CODE


K5B RH 3.5 x 4.7 x 0.8 - D - T
 (1) (2) (3) (4) (5)



- (1) MATERIAL CODE
- (2) PRODUCT CODE
- (3) SIZE CODE
- (4) SHAPE WOUND
- (5) TAPING



SHAPE



DIMENSIONS & CHARACTERISTICS

UNIT:mm


NO.	ORDERING CODE	A	B	IDC(A)
				ΔT40°C
1	RID 2.25x5.3x6.4-0.8-L-T	2.25±0.20	6.40±0.30	9
2	RID 2.3x5.5x7.5-0.8-L-T	2.30±0.30	5.50±0.30	9
3	T 3.5x3x0.8-P-T	3.50±0.15	3.00±0.20	6
4	T 3.5x3x0.8-B	3.50±0.15	3.00±0.20	6
5	RH 2.5x4x0.8-P-T	2.50±0.15	4.00±0.30	6
6	RH 3.5x4.5x0.8-A-T	3.50±0.15	4.50±0.30	6
7	RH 3.5x4.5x0.8-D-T	3.50±0.15	4.50±0.30	6
8	RH 3.5x4.5x0.8-B	3.50±0.15	4.50±0.30	6
9	RH 3.5x4.5x0.8-S	3.50±0.15	4.50±0.30	6
10	RH 3.5x4.7x0.8-A-T	3.50±0.15	4.70±0.30	6
11	RH 3.5x4.7x0.8-P-T	3.50±0.15	4.70±0.30	6
12	RH 3.5x4.7x0.8-D-T	3.50±0.15	4.70±0.30	6
13	RH 3.5x4.7x0.8-B	3.50±0.15	4.70±0.30	6
14	RH 3.5x4.7x0.8-S	3.50±0.15	4.70±0.30	6
15	RH 3.5x5x0.8-A-T	3.50±0.15	5.00±0.30	6

*Other sizes are available upon request.

*All the data listed in this catalogue are for reference only, King Core reserves the right to alter or revise the specifications without prior notification.

SPECIFICATION OF RADIAL TAPING & BULK SERIES


NO.	ORDERING CODE	A	B	IDC(A)
				$\Delta T40^{\circ}C$
15	RH 3.5x5x0.8-A-T	3.50±0.15	5.00±0.30	6
16	RH 3.5x5x0.8-D-T	3.50±0.15	5.00±0.30	6
17	RH 3.5x5x0.8-B	3.50±0.15	5.00±0.30	6
18	RH 3.5x5x0.8-S	3.50±0.15	5.00±0.30	6
19	RH 3.5x6x0.8-A-T	3.50±0.15	6.00±0.30	6
20	RH 3.5x6x0.8-P-T	3.50±0.15	6.00±0.30	6
21	RH 3.5x6x0.8-D-T	3.50±0.15	6.00±0.30	6
22	RH 3.5x6x0.8-B	3.50±0.15	6.00±0.30	6
23	RH 3.5x7.5x0.8-A-T	3.50±0.15	7.50±0.30	6
24	RH 3.5x7.5x0.8-D-T	3.50±0.15	7.50±0.30	6
25	RH 3.5x7.5x0.8-S	3.50±0.15	7.50±0.30	6
26	RH 3.5x8x0.8-A-T	3.50±0.15	8.00±0.30	6
27	RH 3.5x8x0.8-P-T	3.50±0.15	8.00±0.30	6
28	RH 3.5x8x0.8-D-T	3.50±0.15	8.00±0.30	6
29	RH 3.5x8x0.8-B	3.50±0.15	8.00±0.30	6
30	RH 3.5x8.3x0.8-D-T	3.50±0.15	8.30±0.30	6
31	RH 3.5x9x0.8-A-T	3.50±0.15	9.00±0.30	6
32	RH 3.5x9x0.8-B	3.50±0.15	9.00±0.30	6
33	RH 3.5x9.5x0.8-P-T	3.50±0.15	9.50±0.40	6
34	RH 3.5x9.5x0.8-B	3.50±0.15	9.50±0.40	6
35	RH 3.5x11.4x0.8-S	3.50±0.15	11.40±0.40	6



※Other sizes are available upon request.

※All the data listed in this catalogue are for reference only, King Core reserves the right to alter or revise the specifications without prior notification.

SPECIFICATION OF RADIAL TAPING & BULK SERIES



※Other sizes are available upon request.





※All the data listed in this catalogue are for reference only, King Core reserves the right to alter or revise the specifications without prior notification.



KING CORE ELECTRONICS INC.
 Tel:886-3-4698855 Fax:886-3-4691395

No.269,Nanfong Rd.,Pingjhen City,Taoyuan County,Taiwan
 E-mail:kc@mail.kingcore.com.tw Web Site:http://www.kingcore.com.tw

SPECIFICATION OF RADIAL TAPING & BULK SERIES



IDC: $\Delta T 40^{\circ}\text{C}$

※Other sizes are available upon request.

※All the data listed in this catalogue are for reference only, King Core reserves the right to alter or revise the specifications without prior notification.