

SPECIFICATION OF RADIAL TAPING & BULK SERIES

APPLICATIONS

Oscillator coil , choke coil , and peaking coil



ORDERING CODE


K5B RH 3.5 x 4.7 x 0.8 - D - T
 (1) (2) (3) (4) (5)



- (1) MATERIAL CODE
- (2) PRODUCT CODE
- (3) SIZE CODE
- (4) SHAPE WOUND
- (5) TAPING



SHAPE




RID 2.3x5.5x7.5-0.8-L-T

P-T

A-T

D-T



RID 2.25x5.3x6.4-0.8-L-T

P

D

B

S

DIMENSIONS & CHARACTERISTICS

UNIT:mm


NO.	ORDERING CODE	A	B	IDC(A)
				ΔT40°C
1	RID 2.25x5.3x6.4-0.8-L-T	2.25±0.20	6.40±0.30	9
2	RID 2.3x5.5x7.5-0.8-L-T	2.30±0.30	5.50±0.30	9
3	T 3.5x3x0.8-P-T	3.50±0.15	3.00±0.20	6
4	T 3.5x3x0.8-B	3.50±0.15	3.00±0.20	6
5	RH 2.5x4x0.8-P-T	2.50±0.15	4.00±0.30	6
6	RH 3.5x4.5x0.8-A-T	3.50±0.15	4.50±0.30	6
7	RH 3.5x4.5x0.8-D-T	3.50±0.15	4.50±0.30	6
8	RH 3.5x4.5x0.8-B	3.50±0.15	4.50±0.30	6
9	RH 3.5x4.5x0.8-S	3.50±0.15	4.50±0.30	6
10	RH 3.5x4.7x0.8-A-T	3.50±0.15	4.70±0.30	6
11	RH 3.5x4.7x0.8-P-T	3.50±0.15	4.70±0.30	6
12	RH 3.5x4.7x0.8-D-T	3.50±0.15	4.70±0.30	6
13	RH 3.5x4.7x0.8-B	3.50±0.15	4.70±0.30	6
14	RH 3.5x4.7x0.8-S	3.50±0.15	4.70±0.30	6
15	RH 3.5x5x0.8-A-T	3.50±0.15	5.00±0.30	6

*Other sizes are available upon request.

**All the data listed in this catalogue are for reference only, King Core reserves the right to alter or revise the specifications without prior notification.

SPECIFICATION OF RADIAL TAPING & BULK SERIES





















NO.	ORDERING CODE	A	B	IDC(A)
				$\Delta T40^{\circ}\text{C}$
15	RH 3.5x5x0.8-A-T	3.50±0.15	5.00±0.30	6
16	RH 3.5x5x0.8-D-T	3.50±0.15	5.00±0.30	6
17	RH 3.5x5x0.8-B	3.50±0.15	5.00±0.30	6
18	RH 3.5x5x0.8-S	3.50±0.15	5.00±0.30	6
19	RH 3.5x6x0.8-A-T	3.50±0.15	6.00±0.30	6
20	RH 3.5x6x0.8-P-T	3.50±0.15	6.00±0.30	6
21	RH 3.5x6x0.8-D-T	3.50±0.15	6.00±0.30	6
22	RH 3.5x6x0.8-B	3.50±0.15	6.00±0.30	6
23	RH 3.5x7.5x0.8-A-T	3.50±0.15	7.50±0.30	6
24	RH 3.5x7.5x0.8-D-T	3.50±0.15	7.50±0.30	6
25	RH 3.5x7.5x0.8-S	3.50±0.15	7.50±0.30	6
26	RH 3.5x8x0.8-A-T	3.50±0.15	8.00±0.30	6
27	RH 3.5x8x0.8-P-T	3.50±0.15	8.00±0.30	6
28	RH 3.5x8x0.8-D-T	3.50±0.15	8.00±0.30	6
29	RH 3.5x8x0.8-B	3.50±0.15	8.00±0.30	6
30	RH 3.5x8.3x0.8-D-T	3.50±0.15	8.30±0.30	6
31	RH 3.5x9x0.8-A-T	3.50±0.15	9.00±0.30	6
32	RH 3.5x9x0.8-B	3.50±0.15	9.00±0.30	6
33	RH 3.5x9.5x0.8-P-T	3.50±0.15	9.50±0.40	6
34	RH 3.5x9.5x0.8-B	3.50±0.15	9.50±0.40	6
35	RH 3.5x11.4x0.8-S	3.50±0.15	11.40±0.40	6



※Other sizes are available upon request.

※All the data listed in this catalogue are for reference only, King Core reserves the right to alter or revise the specifications without prior notification.





SPECIFICATION OF RADIAL TAPING & BULK SERIES



※Other sizes are available upon request.

※All the data listed in this catalogue are for reference only. King Core reserves the right to alter or revise the specifications without prior notification.

SPECIFICATION OF RADIAL TAPING & BULK SERIES



IDC: $\Delta T40^{\circ}\text{C}$

※Other sizes are available upon request.

※All the data listed in this catalogue are for reference only, King Core reserves the right to alter or revise the specifications without prior notification.